

[illegible]

				^	PRICES	^	ADDITIONAL OPTIONS Dealer Prices (€, EXW)											
MOSSWOOD				Pricing		Options	No / 1 / 2	GB Glass Border	Select	ARS External module for control and	No / Yes	RC Additional Remote Control	No / Yes	SH Smart Home Connectio n Module	No / Yes	EFT Enlarged Fuel Tank	Select	CT Custom Top: RAL, Glossy, Matt, Inox
				Retail prices												Dimensio		
				Matte top panel														
	Model	Code	Type				GB		ARS		RC		SH		EFT		CT	
Mosswood + Woodbox	MSW			94 579		Include				☐	+2289							
Additional Woodbox	WB(MSW)			9 060														
< NEVERDARK FILD																		
< Description					By Default: Black Matte top panel		Not Available	Not Available	Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	
FILD																		
				Technical documenta tion Fild														
	Model	Code	Type				GB		ARS		RC		SH		EFT		CT	
	Fild	FLD			74 227		Include				☐	+2289						

NEVERDARK THERMOBOXES				ADDITIONAL OPTIONS Dealer Prices (€, EXW)														
Pricing				Options	No / Yes	H Hidden Installation	No / Yes	RS Reflection Screen (Glossy Black Glass)	No / Yes / 1 / 2	LGB Long Glass Border	No / Yes / 1 / 2	SGB Short Glass Border	No / Yes	C (S,L) Canopy Short Long	No / Yes / 1 / 2	F Frame	No / Yes	CT Custom Top: Inox (DARK, LIGHT BRONZE, COPPER)
	Retail Prices																	

THERMOBOXES FOR AUTOMATIC AND FIRETEC

< TSS - Thermobox Single-Sided for Automatic and Firetec														
< Description		Modification												
		TSS Standard Thermobox Single-Sided	H-TSS Hidden Thermobox Single- Sided											
		Technical	Technical											
Model	Code	Custom length	Burner length		H	RS	LGB	SGB	C	F	CT			
Thermobox TSS-800	TSS-800-(xxx)	Type custom length of the Thermobox below, and length of fireplace in next cell	700 mm	18 132	+0	+2964	+907		+454	+2117	+13561			
Thermobox TSS-900	TSS-900-(xxx)		800 mm	18 918	+0	+3326	+1058		+514	+2389	+13560			
Thermobox TSS-1100	TSS-1100-(xxxx)		1000 mm	19 946	+0	+4082	+1300		+605	+2903	+15307			
Thermobox TSS-1300	TSS-1300-(xxxx)		1200 mm	22 184	+0	+4808	+1572		+726	+3447	+15307			
Thermobox TSS-1600	TSS-1600-(xxxx)		1500 mm	26 206	+0	+5927	+1966		+877	+4234	+17929			
Thermobox TSS-1800	TSS-1800-(xxxx)		1700 mm	28 897	+0	+6653	+2238		+998	+4778	+19152			
Thermobox TSS-2200	TSS-2200-(xxxx)		2000 mm	34 280	+0	+8135	+2752		+1210	+5836	+19240			
Thermobox TSS-2700	TSS-2700-(xxxx)		2500 mm	40 933	+0	+9979	+3417		+1512	+7137	+20332			
Custom length	TSS-xxxx-(xxxx)		1700 mm		+0	+0	+0		+0	+0				






< TLC - Thermobox Left Corner for Automatic and Firetec														
< Description		Modification												
		TLC Standard Thermobox Left Corner	H-TLC Hidden Thermobox Left Corner											
		Technical	Technical											
Model	Code	Custom length	Burner length		H	RS	LGB	SGB	C	F	CT			
Thermobox TLC-800	TLC-800-(xxx)	Type custom length of the Thermobox below, and length of fireplace in next cell	700 mm	16 922	+0	+2964	+907		+454	+2117	+12686			
Thermobox TLC-900	TLC-900-(xxx)		800 mm	17 678	+0	+3326	+1058		+514	+2389	+13734			
Thermobox TLC-1100	TLC-1100-(xxx)		1000 mm	18 192	+0	+4082	+1300		+605	+2903	+13997			
Thermobox TLC-1300	TLC-1300-(xxx)		1200 mm	20 884	+0	+4808	+1572		+726	+3447	+14652			
Thermobox TLC-1600	TLC-1600-(xxx)		1500 mm	24 906	+0	+5927	+1966		+877	+4234	+15963			
Thermobox TLC-1800	TLC-1800-(xxx)		1500 mm	27 597	+0	+6653	+2238		+998	+4778	+17710			
Thermobox TLC-2200	TLC-2200-(xxx)		2000 mm	32 950	+0	+8135	+2752		+1210	+5836	+20113			
Thermobox TLC-2700	TLC-2700-(xxx)		2500 mm	39 663	+0	+9979	+3417		+1512	+7137	+26886			
Custom length	TLC-xxxx-(xxx)		0 mm		+0	+0	+0	+0	+0	+0	+0			

< TRC - Thermobox Right Corner for Automatic and Firetec														
< Description		Modification												
		TRC Standard Thermobox Right Corner	H-TRC Hidden Thermobox Right Corner											
		Technical	Technical											
Model	Code	Custom length	Burner length		H	RS	LGB	SGB	C	F	CT			
Thermobox TRC-800	TRC-800-(xxx)	Type custom length of the Thermobox below, and length of fireplace in next cell	700 mm	16 922	+0	+2964	+907		+454	+2117	+13123			
Thermobox TRC-900	TRC-900-(xxx)		800 mm	17 678	+0	+3326	+1058		+514	+2389	+13123			
Thermobox TRC-1100	TRC-1100-(xxx)		1000 mm	18 676	+0	+4082	+1300		+605	+2903	+13778			
Thermobox TRC-1300	TRC-1300-(xxx)		1200 mm	20 884	+0	+4808	+1572		+726	+3447	+15701			
Thermobox TRC-1600	TRC-1600-(xxx)		1500 mm	24 906	+0	+5927	+1966		+877	+4234	+16837			
Thermobox TRC-1800	TRC-1800-(xxx)		1500 mm	27 597	+0	+6653	+2238		+998	+4778	+17492			
Thermobox TRC-2200	TRC-2200-(xxx)		2000 mm	32 950	+0	+8135	+2752		+1210	+5836	+19021			
Thermobox TRC-2700	TRC-2700-(xxx)		2500 mm	39 663	+0	+9979	+3417		+1512	+7137	+27978			
Custom length	TRC-xxxx-(xxx)		1500		+0	+0	+0	+0	+0	+0	+0			

< TTS - Thermobox Three-Sided for Automatic and Firetec														
< Description		Modification												
		TTS Standard Thermobox Three-Sided	H-TTS Hidden Thermobox Three- Sided											
		Technical	Technical											
Model	Code	Custom length	Burner length		H	RS	LGB	SGB	C	F	CT			
Thermobox TTS-800	TTS-800-(xxx)	Type custom length of the Thermobox below, and length of fireplace in next cell	700 mm	15 864	+0	+2964	+907		+491	+2117	+10720			
Thermobox TTS-900	TTS-900-(xxx)		800 mm	16 469	+0	+3326	+1058		+491	+2389	+11812			
Thermobox TTS-1100	TTS-1100-(xxx)		1000 mm	17 830	+0	+4082	+1300		+605	+2903	+12686			
Thermobox TTS-1300	TTS-1300-(xxx)		1200 mm	19 886	+0	+4808	+1572		+726	+3447	+14521			
Thermobox TTS-1600	TTS-1600-(xxx)		1500 mm	23 605	+0	+5927	+1966		+877	+4234	+15307			
Thermobox TTS-1800	TTS-1800-(xxx)		1500 mm	26 297	+0	+6653	+2238		+998	+4778	+16968			
Thermobox TTS-2200	TTS-2200-(xxx)		2000 mm	31 649	+0	+8135	+2752		+1210	+5836	+19240			
Thermobox TTS-2700	TTS-2700-(xxx)		2500 mm	38 363	+0	+9979	+3417		+1512	+7137	+22953			
Custom length	TTS-xxxx-(xxx)		1500		+0	+0	+0	+0	+0	+0	+0			

< TRD - Thermobox Roomdivider for Automatic and Firetec														
< Description		Modification												
		TRD Standard Thermobox Roomdivider	H-TRD Hidden Thermobox Roomdivider											
		Technical	Technical											
Model	Code	Custom length	Burner length		H	RS	LGB	SGB	C	F	CT			
Thermobox TRD-800	TRD-800-(xxx)	Type custom length of the Thermobox below, and length of fireplace in next cell	700 mm	15 773	+0				+454	+2117	+11899			
Thermobox TRD-900	TRD-900-(xxx)		800 mm	16 045	+0				+514	+2389	+10938			
Thermobox TRD-1100	TRD-1100-(xxx)		1000 mm	16 711	+0				+605	+2903	+11812			
Thermobox TRD-1300	TRD-1300-(xxx)		1200 mm	18 132	+0				+726	+3447	+12686			
Thermobox TRD-1600	TRD-1600-(xxx)		1500 mm	19 130	+0				+877	+4234	+13560			
Thermobox TRD-1800	TRD-1800-(xxx)		1500 mm	20 884	+0				+998	+4778	+15963			
Thermobox TRD-2200	TRD-2200-(xxx)		2000 mm	24 755	+0				+1210	+5836	+18803			
Thermobox TRD-2700	TRD-2700-(xxx)		2500 mm	29 623	+0				+1512	+7137	+22516			

NEVERDARK THERMOBOXES				Pricing	Options	ADDITIONAL OPTIONS Dealer Prices (€, EXW)																
Custom length				TRD-xxxx-(xxx)	1400	0 mm	No / Yes	H Hidden Installation	RS No / Yes	RS Reflection Screen (Glossy Black Glass)	No / Yes / 1 / 2	LGB Long Glass Border	No / Yes / 1 / 2	SGB Short Glass Border	No / Yes	C (S,L) Canopy Short, Long	No / Yes / 1 / 2	F Frame	No / Yes	CT Custom Top: Inox (DARK, LIGHT BRONZE, etc.)		
							+0				+0		+0		+0		+0		+0			
< TST - Thermobox See-Through for Automatic and Firetec										Available	Not Available	Available	Not Available	Available		Available		Available				
< Description				Modification						Examples		Examples		Examples		Examples		Examples				
				TST Standard Thermobox See- Through						H-TST Hidden Thermobox See- Through												
				Technical documentation						Technical documentation												
Model	Code	Custom length	Burner length																			
Thermobox TST-800	TST-800-(xxx)		700 mm	16 076																		
Thermobox TST-900	TST-900-(xxx)		800 mm	16 560																		
Thermobox TST-1100	TST-1100-(xxx)	Type custom length of the	1000 mm	17 497																		
Thermobox TST-1300	TST-1300-(xxx)	Thermobox below, and length of fireplace in next cell	1200 mm	19 130																		
Thermobox TST-1600	TST-1600-(xxx)		1500 mm	20 702																		
Thermobox TST-1800	TST-1800-(xxx)		1500 mm	22 184																		
Thermobox TST-2200	TST-2200-(xxx)		2000 mm	26 055																		
Thermobox TST-2700	TST-2700-(xxx)		2500 mm	30 893																		
Custom length				TST-xxxx-(xxx)	1500	0 mm																
THERMOBOXES FOR CHALET I																						
< C1-B - Chalet I Box for Chalet-I										By Model	Available	Available	Not Available	Available		By Model	Not Available	By Model	Not Available	By Model	Not Available	
< Description				Modification						Examples	Examples	Examples		Examples		Examples		Examples		Examples		
				H-C1-B Hidden						F-C1-B Standard + Frame												
				Technical documentation						Technical documentation												
Code/Length	Custom length	Burner length																				
Chalet I Box 650 (Hidden)	H-C1-B-650		650 mm	18 586																		
Chalet I Box 650 (Frame)	F-C1-B-650		650 mm	18 586																		
Custom F-C1-B-xxxx				800	700 mm																	
THERMOBOXES FOR CHALET II																						
< C2-TSS - Thermobox Single-Sided for Chalet-II										Available	Available	Available	Not Available	Available		Available		Available		Available		
< Description				Modification						Examples	Examples	Examples		Examples		Examples		Examples		Examples		
				C2-TSS Standard Thermobox Single-Sided						C2-H-TSS Hidden Thermobox Single- Sided												
				Technical documentation						Technical documentation												
Model	Code/Length	Custom length	Burner length																			
Thermobox C2-TSS-800	C2-TSS-800-(xxx)		700 mm	19 100																		
Thermobox C2-TSS-1050	C2-TSS-1050-(xxx)		950 mm	22 184																		
Thermobox C2-TSS-1300	C2-TSS-1300-(xxx)	Custom length below, length of the fireplace next to it	1200 mm	26 055																		
Thermobox C2-TSS-1500	C2-TSS-1500-(xxx)		1200 mm	29 200																		
Custom length				C2-TSS-xxxx-(xxx)	0	2100 mm																
< C2-TLC - Thermobox Left Corner for Chalet-II										Available	Available	Available	Available	Available		Available		Available		Available		
< Description				Modification						Examples	Examples	Examples	Examples	Examples		Examples		Examples		Examples		
				TLC Standard Thermobox Left Corner						H-TLC Hidden Thermobox Left Corner												
				Technical documentation						Technical documentation												
Model	Code/Length	Custom length	Burner length																			
Thermobox C2-TLC-800	C2-TLC-800-(xxx)		700 mm	18 374																		
Thermobox C2-TLC-1050	C2-TLC-1050-(xxx)		950 mm	21 458																		
Thermobox C2-TLC-1300	C2-TLC-1300-(xxx)	Custom length below, length of the fireplace next to it	1200 mm	25 571																		
Thermobox C2-TLC-1500	C2-TLC-1500-(xxx)		1200 mm	28 867																		
Custom length				C2-TLC-xxxx-(xxx)	0	0 mm																
< C2-TRC - Thermobox Right Corner for Chalet-II										Available	Available	Available	Available	Available		Available		Available		Available		
< Description				Modification						Examples	Examples	Examples	Examples	Examples		Examples		Examples		Examples		
				C2-TRC Standard Thermobox Right Corner						C2-H-TRC Hidden Thermobox Right Corner												
				Technical documentation						Technical documentation												
Model	Code/Length	Custom length	Burner length																			
Thermobox C2-TRC-800	H-C2-TRC-800-(xxx)		700 mm	17 346																		
Thermobox C2-TRC-1050	H-C2-TRC-1050-(xxx)		950 mm	21 458																		
Thermobox C2-TRC-1300	H-C2-TRC-1300-(xxx)	Custom length below, length of the fireplace next to it	1200 mm	25 571																		
Thermobox C2-TRC-1500	H-C2-TRC-1500-(xxx)		1200 mm	28 867																		
Custom length				H-C2-TRC-xxxx-(xxx)	0	0 mm																
< C2-TTS - Thermobox Three-Sided for Chalet-II										Available	Available	Available	Available	Available		Available		Available		Available		
< Description				Modification						Examples	Examples	Examples	Examples	Examples		Examples		Examples		Examples		
				C2-TTS Standard Thermobox Three-Sided						C2-H-TTS Hidden Thermobox Three- Sided												
				Technical documentation						Technical documentation												
Model	Code/Length	Custom length	Burner length																			
Thermobox C2-TTS-800	C2-TTS-800-(xxx)		700 mm	17 074																		
Thermobox C2-TTS-1050	C2-TTS-1050-(xxx)	Custom length below, length of	950 mm	19 765																		

NEVERDARK THERMOBOXES				Pricing	A	ADDITIONAL OPTIONS Dealer Prices (€, EXW)														
						Options		No / Yes	H Hidden Installation	No / Yes	RS Reflection Screen (Glossy Black Glass)	No / Yes / 1 / 2	LGB Long Glass Border	No / Yes / 1 / 2	SGB Short Glass Border	No / Yes	C (S,L) Canopy Short, Long	No / Yes / 1 / 2	F Frame	No / Yes
Thermobox C2-TTS-1300		C2-TTS-1300-(xxx)	the fireplace next to it	1200 mm	23 878	☐	+0	☐	+4808	☐	+1572	☐	+635	☐	+635	☐	+3084	☐	+15089	
Thermobox C2-TTS-1500		C2-TTS-1500-(xxx)	to it	1200 mm	27 234	☐	+0	☐	+5564	☐	+1845	☐	+635	☐	+756	☐	+3568	☐	+16225	
Custom length		C2-TTS-xxxx-(xxx)	0			☐	+0	☐	+0	☐	+0	☐	+0	☐	+0	☐	+0	☐	+0	
< C2-TRD- Thermobox Roomdivider for Chalet-II						Available		Not Available		Available		Available		Available		Available		Available		
< Description						Examples				Examples		Examples		Examples		Examples				
C2-TRD			C2-TRD Standard Thermobox Roomdivider		C2-H-TRD Hidden Thermobox Roomdivider															
	Model	Code/Length	Custom length	Burner length		H	0,90	RS	0,90	LGB	1,35	SGB	0,47	C	0,55	F	0,60	CT		
	Thermobox C2-TRD-800	C2-TRD-800-(xxx)	Custom length below, length of the fireplace next to it	700 mm	17 678	☐	+0	☐	+0	☐	+907	☐	+635	☐	+393	☐	+1905	☐	+12249	
	Thermobox C2-TRD-1050	C2-TRD-1050-(xxx)		950 mm	18 586	☐	+0	☐	+0	☐	+1240	☐	+635	☐	+514	☐	+2510	☐	+12467	
	Thermobox C2-TRD-1300	C2-TRD-1300-(xxx)		1200 mm	19 614	☐	+0	☐	+0	☐	+1572	☐	+635	☐	+635	☐	+3084	☐	+13123	
	Thermobox C2-TRD-1500	C2-TRD-1500-(xxx)		1200 mm	22 003	☐	+0	☐	+0	☐	+1845	☐	+635	☐	+756	☐	+3568	☐	+13778	
Custom length		C2-TRD-xxxx-(xxx)	1400	1230 mm		☐	+0	☐	+0	☐	+0	☐	+0	☐	+0	☐	+0	☐	+0	
< C2-TST - Thermobox See-Through for Chalet-II						Available		Not Available		Available		Not Available		Available		Available		Available		
< Description						Examples				Examples				Examples		Examples				
C2-TST			C2-TST Standard Thermobox See-Through		C2-H-TST Hidden Thermobox See-Through															
	Model	Code/Length	Custom length	Burner length		H	0,90	RS	0,90	LGB	1,35	SGB	0,50	C	0,55	F	0,60	CT		
	Thermobox C2-TST-800	C2-TST-800-(xxx)	Custom length below, length of the fireplace next to it	700 mm	17 648	☐	+0	☐	+0	☐	+907	☐		☐	+393	☐	+1905	☐	+13778	
	Thermobox C2-TST-1050	C2-TST-1050-(xxx)		950 mm	19 100	☐	+0	☐	+0	☐	+1240	☐		☐	+514	☐	+2510	☐	+14434	
	Thermobox C2-TST-1300	C2-TST-1300-(xxx)		1200 mm	21 337	☐	+0	☐	+0	☐	+1572	☐		☐	+635	☐	+3084	☐	+15089	
	Thermobox C2-TST-1500	C2-TST-1500-(xxx)		1200 mm	23 696	☐	+0	☐	+0	☐	+1845	☐		☐	+756	☐	+3568	☐	+16837	
Custom length		C2-TST-xxxx-(xxx)		1700 mm		☐	+0	☐	+0	☐	+0	☐		☐	+0	☐	+0	☐	+0	